



ANTIFOULING COMPATIBILITY CHART

BOTTOM PAINT YOU'RE PLANNING TO USE

BOTTOM PAINT CURRENTLY IN USE	TotalBoat™ AlumiPaint AF	TotalBoat™ Krypton	TotalBoat™ Outdrive AF	TotalBoat™ Spartan	TotalBoat™ JD Select	
	TotalBoat™ Underdog	TotalBoat™ Inflatable Boat Paint				
	FLEXDEL Armor	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]
	INTERLUX® ACT	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]
	INTERLUX® Aqua-One™	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]
	INTERLUX® Bottomkote®	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]
INTERLUX® Bottomkote® NT	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® Bottomkote® Pro	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
INTERLUX® Epoxycop®	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® Fiberglass Bottomkote® Aqua	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® Micron® 66*	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
INTERLUX® Micron® 99*	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
INTERLUX® Micron® CF	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® Micron® CSC	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
INTERLUX® Micron® Extra	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
INTERLUX® Micron® Optima	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
INTERLUX® Micron® Optima	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® Micron® WA	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® Pacifica Plus	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® Trilux® 33	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
INTERLUX® Ultra-Kote	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® Ultra™	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® VC® 17	Remove Completely Before Applying [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
INTERLUX® VC® Offshore	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
INTERLUX® VC® Offshore Baltoplate	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
MARPRO® Super B Ablative™	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
NAUTICAL™ ProGuard Ablative	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
PETTIT® Black Widow®	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
PETTIT® Horizons	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
PETTIT® Hydrocoat® (All)	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
PETTIT® Neptune 5	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
PETTIT® Seamate®	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
PETTIT® SR 21	Remove Completely Before Applying [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
PETTIT® Trinidad® (All)	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
PETTIT® Ultima® Eco	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
PETTIT® Ultima® SR-40	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
PETTIT® Ultima® SR-60	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
PETTIT® Ultima® SSA	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
PETTIT® Unepoxy (All)	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
PETTIT® Vivid®	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
SEA HAWK AF33™	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
SEA HAWK Biocop TF™*	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
SEA HAWK Biotin Plus™*	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
SEA HAWK Cukote™	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
SEA HAWK Islands 44 Plus™*	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
SEA HAWK Islands 44 TF™*	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
SEA HAWK Monterey™	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
SEA HAWK Sharkskin™	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
SEA HAWK Smart Solution™	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
SEA HAWK Talon™	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
SEA HAWK Tropikote EX™*	Sand Heavily & Apply [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
SEA HAWK Tropikote™	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
SEA HAWK VMG™	Remove Completely Before Applying [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
WEST MARINE® Bottom Shield®	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
WEST MARINE® CPP®	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
WEST MARINE® FW 21	Remove Completely Before Applying [§]	Sand Heavily & Apply [§]			Sand Heavily & Apply [§]	
WEST MARINE® PCA Gold	Sand Lightly & Apply [§]	Scuff with a Maroon Abrasive Pad [§]			Scuff with a Maroon Abrasive Pad [§]	
WOOLSEY® Ablative Plus	Sand Lightly & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
WOOLSEY® Defense	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	
Z-SPAR® Bottom Pro® Gold	Sand Heavily & Apply [§]	Sand Lightly & Apply [§]			Sand Lightly & Apply [§]	

* Modified antifouling paints (self-polishing copolymer (SPC) technology) and tin copolymer paints should be sealed with a coat of an appropriate tie-coat primer and allowed to cure prior to applying new TotalBoat antifouling paint, or completely remove the previous antifouling paint before applying.

§ All previous antifouling paints must be in good condition and well adhered. The surface must be free of all marine growth or other potential surface contaminants prior to sanding and applying new antifouling paint.

This document is intended as a guide only. Refer to the individual product data sheets for surface preparation and application instructions.