

# Safety Data Sheet

1. Identification	
Product Information.	4439900B
Product Name:	TotalBoat TotalProtect Part B
Recommended Use.	Paints
Uses advised against.	Read label instructions and SDS
Supplier.	TOTALBOAT LLC 17 Peckham Drive Bristol, Rhode Island 02809 1-800-497-0010
Emergency telephone number.	Infotrac US & Canada: 1-800-535-5053 Infotrac International: 1-352-323-3500 24 hrs./day, 7 days/week

# 2. Hazards Identification

### GHS Classification in accordance with 29 CFR 1910.1200

Acute Tox. 4 Inhalation, Eye Dam. 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, STOT SE 3 NE

### GHS Pictograms



Signal Word Danger

Unknown Acute Toxicity 58.8% of the mixture consists of ingredient(s) of unknown acute toxicity

### HAZARD STATEMENTS

Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. May cause drowsiness or dizziness.

### Precautionary Statements - Prevention.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash face and hands and any exposed skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection

### Precautionary Statements - Response.

If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (If applicable, see label for any additional instructions).

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use  $CO_2$  dry chemical or foam to extinguish.

### Precautionary Statements - Storage.

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Store locked up.

### Precautionary Statements - Disposal.

Dispose of contents in accordance with local/regional/national/international regulations.

# 3. Composition/Information on Ingredients

Chemical Name	CAS-No.	<u>Wt. %</u>
Polymer of c-18 unsaturated fatty acid dimers	68082-29-1	50-75
n-Propanol	71-23-8	10-25
XYLENE	1330-20-7	10-25
Tofa, reaction products with TEPA	68953-36-6	2.5-10
2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL	90-72-2	1.0-2.5
3,6,9-TRIAZAUNDECAMETHYLENEDIAMINE	112-57-2	0.1-1.0

The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First-aid Measures

### Description of first-aid measures.

### General advice.

Move victim to a safe isolated area. When symptoms persist or in all cases of doubt seek medical advice. Call a poison control center or doctor for treatment advice.

### Inhalation.

Move to fresh air. Apply artificial respiration if victim is not breathing. Call a poison control center or doctor for treatment advice.

### Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Remove and wash contaminated clothing before re-use. Call a poison control center or doctor for treatment advice.

### Eye contact.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a poison control center or doctor for treatment advice.

### Ingestion.

Do not induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. If swallowed, call a poison control center or doctor immediately.

### Symptoms.

See Section 2 and Section 11, Toxicological effects for description of potential symptoms.

### Notes to physician.

Treat symptomatically.

# 5. Fire-fighting Measures

### Extinguishing media.

### Suitable extinguishing media.

Use:. Dry powder. Alcohol-resistant foam. Carbon dioxide ( $CO_2$ ). Water may be used to cool and prevent the rupture of containers that are exposed to the heat from a fire.

#### Extinguishing media which shall not be used for safety reasons.

Water may be unsuitable for extinguishing fires.

### Special hazards arising from the substance or mixture.

Vapors may travel to areas away from work site before igniting/flashing back to vapor source. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Most vapors are heavier than air. Vapors may spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors may travel to source of ignition and flash back. Air/vapor mixtures may explode when ignited. Containers may explode when heated.

### Advice for firefighters.

Evacuate personnel to safe areas. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures.

#### Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. All equipment used when handling the product must be grounded. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Wear protective gloves/clothing and eye/face protection. Stop all work that requires a naked flame, stop all vehicles, stop all machines and equipment that may cause sparks or flames. Do not breathe vapors or spray mist. Avoid exceeding of the given occupational exposure limits (see section 8). Thoroughly decontaminate all protective equipment after use.

#### Advice for emergency responders.

Refer to protective measures listed in sections 7 and 8. Use personal protection recommended in Section 8.

### Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological information.

### Methods and materials for containment and cleaning up.

#### Methods for Containment.

Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. Ground and bond containers when transferring material. Take precautionary measures against static discharges. Use personal protective equipment. Remove all sources of ignition.

### Methods for cleaning up.

Prevent further leakage or spillage if safe to do so. Keep away from open flames, hot surfaces and sources of ignition. Keep in suitable and closed containers for disposal. All equipment used when handling the product must be grounded. Keep combustibles (wood, paper, oil, etc) away from spilled material. Ventilate the area. Use personal protective equipment as required. Shut off ignition sources; including electrical equipment and flames. Clean contaminated objects and areas thoroughly while observing environmental regulations. Never return spills in original containers for re-use.

### Reference to other sections.

See section 8 for more information.

### 7. Handling and Storage

#### Conditions for safe storage, including any incompatibilities.

#### Advice on safe handling.

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Use according to package label instructions. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Wash hands before breaks and immediately after handling the product. Ground and bond containers when transferring material. All equipment used when handling the product must be grounded.

#### Hygiene measures.

Handle in accordance with good industrial hygiene and safety practice for diagnostics. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Storage Conditions.

Keep container closed when not in use. Keep in properly labeled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in accordance with local regulations. Keep from freezing. Keep away from food, drink and animal feedingstuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 8. Exposure Controls/Personal Protection

### Ingredients with Occupational Exposure Limits

Chemical Name	ACGIH TLV-TWA	ACGIH-TLV STEL	<u>OSHA PEL-TWA</u>	OSHA PEL-CEILING
n-Propanol	100 ppm	N.E.	200 ppm	N.E.
XYLENE	100 ppm	150 ppm	100 ppm	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

#### Engineering Measures.

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

#### Personal protective equipment.

#### Eye/Face Protection.

If splashes are likely to occur, wear:. Face-shield. Safety glasses with side-shields. Tightly fitting safety goggles.

#### Skin and body protection.

Use:. Long sleeved clothing. Protective shoes or boots. Solvent-resistant gloves. Solvent-resistant apron and boots. Wear impervious gloves and/or clothing if needed to prevent contact with the material. Gloves must be inspected prior to use. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Remove and wash contaminated clothing before re-use.

#### Respiratory protection.

In case of inadequate ventilation wear respiratory protection. If exposure limits are exceeded or irritation is experienced, respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

### 9. Physical and chemical properties.

# Information on basic physical and chemical properties.

### Physical state

Liquid

Appearance Color Odor **Odor Threshold** bН Melting/freezing point., °C (°F) Flash Point., °C (°F) Boiling point/boiling range., °C (°F) **Evaporation rate** Explosive properties. Vapor pressure. Vapor density. Specific Gravity. (g/cm<sup>3</sup>) Water solubility. Partition coefficient. Autoignition temperature.,°C Decomposition Temperature °C. Viscosity, kinematic.

## Other information.

Volatile organic compounds (VOC) content. Density, lb/gal No Information Gray Hydrocarbon-like No Information No Information No Information 23 (73.40) 97 - 320 (206.6 - 608) No Information Available No Information No Information No Information 0.918 No Information No Information No Information No Information 22 mm2/s

No Information 7.649

# 10. Stability and Reactivity

### Reactivity.

Stable under normal conditions.

### Chemical stability.

Stable under recommended storage conditions.

### Possibility of hazardous reactions.

None known based on information supplied.

### Conditions to Avoid.

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Keep away from heat and sources of ignition. Do not freeze.

### Incompatible Materials.

None known based on information supplied.

### Hazardous Decomposition Products.

Thermal decomposition can lead to release of irritating gases and vapours. Possible formation of carbon oxides, nitrogen oxides, and hazardous organic compounds.

# 11. Toxicological Information

	n toxicological effects.					
Acute toxicity.						
Product Inform						
No Informatio						
-	values are calculated based on cha			t.		
ATEmix (oral ATEmix (der		2,445.6 m 4,139.8 m				
	alation - dust/mist)	1.68 mg/l				
Component In	-	Ũ				
CAS-No.	Chemical Name		LD50 Oral	LD50 Dermal	LC50 Inhalation	
71-23-8	n-Propanol		1870 mg/kg Rat	4049 mg/kg Rabbit	>13548 ppm Rat (Gas/Mist)	
1330-20-7	XYLENE		3500 mg/kg Rat	>4350 mg/kg Rabbit	29.08 mg/L Rat (Vapor)	
90-72-2	2,4,6-TRIS(DIMETHYLAMINOMET PHENOL	THYL)	1200 mg/kg Rat	1280 mg/kg Rat	N.I.	
112-57-2	3,6,9- TRIAZAUNDECAMETHYLENEDIA	MINE	3990 mg/kg Rat	79 mg/kg Rabbit	N.I.	
N.I. = No Infor						
<u>Skin corrosior</u> SKIN IRRITA						
<u>Eye damage/i</u> No Informatio						
Respiratory of No Information	<u>r skin sensitization.</u> on					
Ingestion. May be harm	nful if swallowed.					
Germ cell mut No Informatio	tagenicity.					
Carcinogenici No Informatio	ity.					
CAS-No.	Chemical Name		IARC	<u>NTP</u>	<u>OSHA</u>	
1330-20-7	XYLENE		IARC Group 3	-	-	
-	Reproductive toxicity. No Information					
Specific target organ systemic toxicity (single exposure). No Information						
Specific target organ systemic toxicity (repeated exposure).						
May cause damage to organs through prolonged or repeated exposure.						
Aspiration hazard.						
No Information						
Primary Route(s) of Entry No Information						

# 12. Ecological Information

### <u>Toxicity.</u>

58.75% of the mixture consists of ingredient(s) of unknown aquatic toxicity

### Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
n-Propanol 71-23-8	-	LC50 96 h Pimephales promelas 4480 mg/L	EC50 48 h Daphnia magna 3642 mg/L, EC50 48 h Daphnia magna 3339 - 3977 mg/L
XYLENE 1330-20-7	-	LC50 96 h Pimephales promelas 13.4 mg/L, LC50 96 h Oncorhynchus mykiss 2.661 - 4.093 mg/L, LC50 96 h Oncorhynchus mykiss 13.5 - 17.3 mg/L, LC50 96 h Lepomis macrochirus 13.1 - 16.5 mg/L, LC50 96 h Lepomis macrochirus 19 mg/L, LC50 96 h Lepomis macrochirus 7.711 - 9.591 mg/L, LC50 96 h Pimephales promelas 23.53 - 29.97 mg/L, LC50 96 h Cyprinus carpio 780 mg/L, LC50 96 h Cyprinus carpio >780 mg/L, LC50 96 h Poecilia reticulata 30.26 - 40.	EC50 48 h water flea 3.82 mg/L, LC50 48 h Gammarus lacustris 0.6 mg/L
3,6,9- TRIAZAUNDECAMETHYLENEDI AMINE 112-57-2	EC50 72 h Pseudokirchneriella subcapitata 2.1 mg/L	LC50 96 h Poecilia reticulata 420 mg/L	EC50 48 h Daphnia magna 24.1 mg/L

### Persistence and degradability.

No data are available on the product itself.

### Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.	Chemical Name	<u>log POW</u>
71-23-8	n-Propanol	0.25 - 0.34
1330-20-7	XYLENE	2.77 - 3.15
112-57-2	3,6,9-TRIAZAUNDECAMETHYLENEDIAMINE	<1

### Mobility in soil.

No information

### Other adverse effects.

No information

# 13. Disposal Considerations

### Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport Information

# DOT

Shipping Name: Hazard Class: UN/NA Number: Packing Group: Additional Information:	Paint 3 1263 III DOT Ground - 'Non-bulk' shipments may be non-regulated per 49CFR 173.150(f)(2). Not regulated(If shipped In non-bulk packaging By ground transport). Limited Quantity: This product may be reclassified as Consumer Commodity, ORM-D, When shipped By ground; packaging quantity limitations apply(i.e.Quarts, Gallons).
<u>IMDG</u>	-
Proper Shipping Name:	Paint
Hazard Class:	3
UN Number:	1263
Packing Group:	
<u>IATA</u>	
Proper Shipping Name:	UN1263, Paint
Hazard Class:	3
Packing Group:	III

# 15. Regulatory Information

# International Inventories:

TSCA	Complies
DSL	
DSL/NDSL	Complies
	Compiles
EINECS/ELINCS	-
ENCS	-
IECSC	Complies
KECI	-
PICCS	Complies
AICS	-
NZIoC	Complies
TCSI	
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory.
DSL	Canadian Domestic Substances List.
DSL/NDSL	Canadian Domestic Substances List/Canadian Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
ENCS	Japan Existing and New Chemical Substances.
IECSC	China Inventory of Existing Chemical Substances.
KECL	Korean Existing and Evaluated Chemical Substances.
PICCS	Philippines Inventory of Chemicals and Chemical Substances.
AICS	Australian Inventory of Chemical Substances.
NZIoC	New Zealand Inventory of Chemicals.
TCSI	Taiwan Chemical Substance Inventory

# U.S. Federal Regulations:

# SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372: .

Chemical Name	CAS-No.	Weight Percent
XYLENE	1330-20-7	10-25

### TOXIC SUBSTANCES CONTROL ACT 12(b):

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:.

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

### **CALIFORNIA PROPOSITION 65 CARCINOGENS**

No Proposition 65 Carcinogens exist in this product.

### **CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**

No Proposition 65 Reproductive Toxins exist in this product.

16. Other Information								
Revision Date: 1/13/2020				Supersedes Date:		New SDS		
Reason for	or revision: No Information							
Datasheet produced by: Regulatory Department								
HMIS Ratin	igs:							
Health:	3	Flammability:	3	Physical Hazard:	0	Personal Protection:	Х	
NFPA Ratings:								
Health:	3	Flammability:	3	Instability:	0	Physical & Chemical:		

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.