



SAFETY DATA SHEET

DISTRIBUTED BY:

Jamestown Distributors
17 Peckham Drive
Bristol, RI 02809
800-497-0010

EMERGENCY TELEPHONE NUMBER:

Call CHEMTREC 800-424-9300
DATE: June 29, 2016

SECTION 1 – PRODUCT IDENTIFICATION

PRODUCT NAME: Total Boat - Total Buff
MODEL NUMBER: 426087
CHEMICAL FORMULA: Marine polish

SECTION 2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:
SYMBOLS:



SIGNAL WORD: DANGER

HAZARD STATEMENT: Aspiration hazard. Causes eye and skin irritation.

PRECAUTIONARY STATEMENTS:

Prevention: Wash hands thoroughly after handling.

Response: **If in eyes:** Rinse with fresh water for several minutes. Remove contact lenses if present. Continue rinsing. If eye irritation persists get medical attention/advice. **If on skin:** Wash with fresh water for several minutes. Remove contaminated clothing and wash before reuse.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8)	15 – 30%
Mineral oil (CAS 8042-47-5)	5 – 10%
Aluminum Oxide (CAS 1344-28-1)	15 – 30%

SECTION 4 – FIRST AID MEASURES

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

INGESTION: DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give anything by mouth to an unconscious person. Get immediate medical attention.

EYES: Rinse with fresh water for several minutes. Remove contact lenses if present. Continue rinsing. If eye irritation persists get medical attention/advice.

SKIN: Flush from skin and clothing with large amounts of fresh water. If irritation persists, get medical attention. Wash contaminated clothing before reuse.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Water fog or fine spray, Carbon Dioxide, Dry chemical or Alcohol-resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES: Fire fighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None Known.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Prevent entrance into streams or sewage systems. Consult local, state and federal authorities.

WASTE DISPOSAL: Consult local, state and federal authorities.

SECTION 7 – HANDLING AND STORAGE

HANDLING: Use in well ventilated areas. Avoid contact with eyes, skin and clothing. Do not inhale or ingest.

STORAGE: Store in a cool, well ventilated area. Avoid overheating (above 120 F) or freezing.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not required in ventilated areas.

PROTECTIVE CLOTHING: Recommend use of safety glasses and Nitrile or PVC gloves.

Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8) ACGIH TLV Absorbed through skin. TWA: 200 mg/m³, 8 h.

Mineral oil (CAS 8042-47-5) ACGIH TLV TWA: 5 mg/m³ 8 h, Inhalable fraction OSHA PEL TWA: 5 mg/m³, 8 h.

Aluminum Oxide (CAS 1344-28-1) US TWA: 5 mg/m³ (respirable), 15 mg/m³ (total dust).

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state Clear liquid.

Color Orange.

Odor Mild odor.

pH 9 - 10

Melting point/freezing point Not determined

Initial boiling point and boiling range Not determined.

Flash point 61-66°C (142-151°F), expected.

Upper/lower flammability or explosive limits

Flammability limit – lower (%) Not available.

Flammability limit – upper (%) Not available.

Relative density 1

Solubility (water) Miscible.

Percent volatile Not determined.

Volatile Organic Compounds (VOC) Not determined.

SECTION 10 – STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide and Carbon monoxide.

CONDITIONS TO AVOID: Open flame, sparks, and strong oxidizers.

SECTION 11 – TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY: Eye, skin absorption or ingestion.

LISTED CARCINOGEN: None.

MEDICAL CONDITION AGGREGATED: May aggravate pre-existing dermatitis.

INGESTION: May cause internal irritation to stomach or esophagus. Obtain immediate medical attention.

EYES: Causes eye irritation.

SKIN: Causes slight skin irritation.

Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8) LD50 (Dermal, rabbit) > 2,000 mg/kg; LD50 (Oral, rat) > 5,000g/kg.

Mineral oil (CAS 8042-47-5) LD50 (Dermal, rabbit) > 2,000 mg/kg; LD50 (Oral, rat) > 5,000g/kg.

Aluminum Oxide (CAS 1344-28-1) Not listed.

SECTION 12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION:

Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8) Does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307.

Mineral oil (CAS 8042-47-5) LC50 (Fish, 96 h) >2000 mg/L

Aluminum Oxide (CAS 1344-28-1) Not known to be hazardous to water.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Consult local, state and federal authorities.

SECTION 14 – TRANSPORT INFORMATION

PROPER SHIPPING NAME: Not regulated as dangerous good.

HAZARD CLASS: N/A

UN/NA NUMBER: N/A

PACKAGING GROUP: N/A

IATA: Not regulated as dangerous good.

IMDG: Not regulated as dangerous good.

SECTION 15 – REGULATORY INFORMATION

Contents of this SDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

SARA SECTION 313 REPORTABLE INGREDIENTS: This product contains no toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986 and 49 CFR 372.

SARA SECTION 302/304 EMERGENCY PLANNING

EMERGENCY PLAN: There are no SARA Title III Section 302 extremely hazardous substances present in this product (40 CFR 355)

SECTION 16 – OTHER INFORMATION

NFPA rating: Health = 2, Flammability = 0, Reactivity = 0, Other = 0.

The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The Manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of, or in connection with, the accuracy, completeness, or adequacy of the information obtained herein. It is intended to assist in the normal safe usage of the product.