



SAFETY DATA SHEET

Date: April 5, 2016

DISTRIBUTED BY:
HCH5 @ C5 H' @
17 Peckham Drive
Bristol, RI 02809
%800-497-0010

EMERGENCY TELEPHONE NUMBER:
@ØUVÜÖÆ FË00-Í HÍ -Í € H

SECTION 1 – PRODUCT IDENTIFICATION

PRODUCT NAME: TotalBoat Premium Boat Wax
MODEL NUMBER: H6 !D5 GH9 K 5 L
CHEMICAL FORMULA: Úolishing compound

SECTION 2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Highly flammable liquid and vapor. May cause genetic defects. May be fatal if swallowed and enters airways. Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects. This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

SYMBOLS:



SIGNAL WORD: DANGER!

HAZARD STATEMENT: Flammable vapor. May be fatal if swallowed and enters airways.

PRECAUTIONARY STATEMENTS: Read label before use. **Keep out of reach of children.** If medical advice is needed, have product container or label at hand.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	%
Naphtha (petroleum), heavy alkylate (CAS 64741-65-7)	10-20
Stoddard solvent (CAS 64742-47-8)	10-20
Morpholine (CAS 110-91-8)	1-5
Unlisted components are non-hazardous.	

SECTION 4 – FIRST AID MEASURES

BREATHING (INHALATION): If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as possible.

SWALLOWING (INGESTION): DO NOT INDUCE VOMITING! Do not attempt to give anything by mouth to an unconscious person. Get immediate medical attention.

EYES: If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15 minutes, occasionally lifting the lower and upper lids. Get medical attention.

SKIN (DERMAL): If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If



SAFETY DATA SHEET

Date: April 5, 2016

irritation persists after washing, get medical attention immediately.

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical, Carbon Dioxide, Water fog or fine spray or foam.

DECOMPOSITION PRODUCTS: Carbon Dioxide, Carbon Monoxide.

SPECIAL PRECAUTIONS FOR FIRE FIGHTERS: Water may be ineffective on flames, but should be used to keep fire-exposed containers cool. Water or foam sprayed into container of hot burning product could cause frothing and endanger fire fighters. Keep adjoining structures cool with water. Avoid spreading burning liquid with water used for cooling purposes. Do not flush down public sewers. Avoid inhalation of vapors. Firefighters should wear self-contained breathing apparatus.

SPECIAL FIRE FIGHTING PROCEDURES: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Avoid breathing vapors. Dike to prevent spillage into streams or sewage systems. Consult local, state and federal authorities.

WASTE DISPOSAL: Consult local, state and federal authorities.

SECTION 7 – HANDLING AND STORAGE

HANDLING: Under normal use according to label instructions, special protection should not be necessary. Avoid contact with eyes, skin and clothing.

do not breath vapors for prolonged periods of time. Do not ingest.

STORAGE: Store in a cool, well ventilated area. Avoid overheating (above 120 F) or freezing.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING: Safety glasses and Nitrile or PVC gloves.

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

CHEMICAL NAME: Stoddard solvent (CAS 8052-41-3)

ACGIH TLV: TWA: 525 mg/m³ 8 hours. TWA: 100 ppm 8 hours.

NIOSH REL: CEIL: 1800 mg/m³ 15 minutes. TWA: 350 mg/m³ 10 hours.

OSHA PEL: TWA: 2900 mg/m³ 8 hours. TWA: 500 ppm 8 hours.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Paste wax.

Color Opaque, Amber.

Odor Solvent odor.

pH Not applicable.

Melting point/freezing point not determined.

Initial boiling point and boiling range Not determined.

Flash point > 100 F (Pensky Martens)

Evaporation rate Slow.

Upper/lower flammability or explosive limits

Flammability limit – lower (%) Not available.

Flammability limit – upper (%) Not available.

Relative density 0.8

Solubility (water) Not soluble.

Percent volatile 31%.

Volatile Organic Compounds (VOC) 31%.



SAFETY DATA SHEET

Date: April 5, 2016

SECTION 10 – STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide and Carbon monoxide.

CONDITIONS TO AVOID: Open flame, sparks, and other sources of ignition. Avoid strong acids and oxidizers.

SECTION 11 – TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY Dermal contact. Eye contact. Inhalation. Ingestion.

LISTED CARCINOGEN: None.

INGESTION/ INHALATION: May be fatal if swallowed and enters airways.

MEDICAL CONDITION AGGREGATED: May aggravate pre-existing dermatitis.

SECTION 12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION:

Stoddard solvent (CAS 64742-47-8)

Log Pow 3.16 to 7.06

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Consult local, state and federal authorities.

SECTION 14 – TRANSPORT INFORMATION

DOT PROPER SHIPPING NAME: PETROLEUM DISTILLATES, N.O.S. (Naphtha petroleum, heavy alkylate, Stoddard solvent) **HAZARD CLASS:** 3

UN/NA NUMBERS: UN1993, UN 1268

PACKAGING GROUP: III

SECTION 15 – REGULATORY INFORMATION

Contents of this SDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

SARA SECTION 311/312:

Fire hazard.

SARA SECTION 313:

This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SECTION 16 – OTHER INFORMATION

NFPA rating: Health = 2, Flammability = 2, Reactivity = 0, Other=0.

The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The Manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of, or in connection with, the accuracy, completeness, or adequacy of the information obtained herein. It is intended to assist in the normal safe usage of the product.