

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Total Boat Elixir White, Whaler Blue, Sea Foam, Oyster White

**Product Codes:** TB-4311, 4314, 4317, 4315

**SUPPLIER:**  
TOTALBOAT LLC

**EMERGENCY PHONE:** 1-800-535-5053 (INFOTRAC)

**CORPORATE ADDRESS:**

17 Peckham Drive  
Bristol, RI 02809

Product Use: Coatings  
Not recommended for: No Information  
Available

## 2. HAZARD(S) IDENTIFICATION

**GHS Ratings:**

Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation
Eye corrosive	2	Eye Irritation: Reversible adverse effects on cornea, iris, conjunctiva, Draize score: Corneal opacity $\geq 1$ , Iritis $> 1$ , Redness $\geq 2$ , Chemosis $\geq 2$
Reproductive toxin	1B	Presumed, Based on experimental animals

**GHS Hazards**

H315	Causes skin irritation
H360	May damage fertility or the unborn child

**GHS Precautions**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P321	Specific treatment (see precautionary statements on this label)
P362	Take off contaminated clothing and wash before reuse
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P405	Store locked up
P501	Dispose of contents/container to an approved waste disposal plant.

**Signal Word: Danger**



### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS number	Weight Concentration %
Titanium Dioxide (dust)	13463-67-7	1.00% - 10.00%
1-Methyl-2-Pyrrolidinone	872-50-4	1.00% - 5.00%

### 4. FIRST AID MEASURES

#### INHALATION:

Move victim to fresh air. Keep warm and quiet. If not breathing, give artificial respiration. If breathing is difficult, give oxygen trained personnel. GET IMMEDIATE MEDICAL ATTENTION.

#### EYES:

Move individual away from exposure. Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

#### SKIN:

Wash off immediately with soap and plenty of water. Take off contaminated clothing and wash before reuse. Get medical attention if irritation develops and persists.

#### INGESTION:

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice. Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>), Foam, Dry chemical, Water spray

#### Combustion/Explosion Hazards:

This material will not burn unless it is evaporated to dryness. Closed containers may rupture when exposed to extreme heat.

#### Hazardous Combustion Products:

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>)

Wear self-contained breathing apparatus (SCBA) and full fire-fighting protective clothing. Thoroughly decontaminate all protective equipment after use. Evacuate all persons from the fire area to a safe location. Move non-burning material, as feasible, to a safe location as soon as possible. Fire fighters should be protected from all potential explosion hazards while extinguishing the blaze. Use water spray to cool fire-exposed containers.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions:

Use personal protective equipment as required. Ensure adequate ventilation. Keep people away from and upwind of spill/leak.

#### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Vapors can accumulate in low areas.

#### Methods for Containment:

Prevent spilled material from 1) contaminating soil, 2) entering sanitary sewers, storm sewers, and drainage systems, and 3) entering bodies of water or ditches that lead to waterways. Prevent spreading over a wide area (e.g. by containment or oil barriers).

#### Methods for Clean-up:

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

## 7. HANDLING AND STORAGE

### HANDLING:

Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Wash hands before breaks and immediately after handling the product. Ensure adequate ventilation.

### STORAGE:

Keep from freezing. Keep container tightly closed. Keep in a dry place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
1-Methyl-2-Pyrrolidinone 872-50-4	OSHA PEL Not Available	ACGIH TLV Not Available	TWA 10.000000 ppm USA. Workplace Environmental Exposure Levels (WEEL)
Titanium Dioxide 13463- 67-7	The OSHA TWA is 15 mg/m <sup>3</sup> .	The ACGIH TLV is: 10 mg/m <sup>3</sup> (total dust containing no asbestos).	Not Established

Good general ventilation should be sufficient to control airborne levels of irritating vapors. Local ventilation may be required during certain operations.

### Eye/face Protection:

Tight sealing safety goggles. Ensure that eyewash stations and safety showers are close to the workstation location.

### Skin Protection:

Gloves made of nitrile rubber. Gloves made of butyl rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Chemical resistant apron. Boots.

### Respiratory Protection:

None required if hazards have been assessed and airborne concentrations are maintained below the exposure limits listed in Section 8. Wear an approved air-purifying respirator with organic vapor/amine cartridges where airborne concentrations may exceed exposure limits in Section 8. Use an approved positive-pressure air-supplied respirator with emergency escape provisions if there is any potential for an uncontrolled release, airborne concentrations are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

### General Hygiene Considerations:

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

This mixture typically exhibits the following properties under normal circumstances:

**Appearance:** Opaque, various colors

**Odor threshold:** Not Available

**Flash point:** Not applicable.

**Boiling range:** 212F - 396F / 100C - 202C

**Freezing point:** No information available.

**Specific Gravity:** 1.02 – 1.27 g/ml

**Evaporation rate:** <1 (BuAc = 1)

**Vapor Density:** > 1 (Air = 1)

**Oxidizing Properties:** No information available.

**Material VOC (g/L)** <75 g/L

**Viscosity** 65 - 75 KU

**Vapor Pressure:** No information available.

**Explosive Properties:** No information available.

**% Volume Solids** 25.0 +/- 2%

**Coating VOC (g/L)** <200 g/L

**Partition coefficient (n- octanol/water):** No information available.

**Odor:** Mild Amine

**pH:** 7.5-9.0

**Autoignition temperature:** No information available.

**Melting point:** No information available.

**Decomposition temperature:** No information available

**Solubility:** Dispersible in Water

**Flammability Limit in Air** No information available

## 10. REACTIVITY AND STABILITY

### Reactivity

No dangerous reaction known under conditions of normal use.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### Conditions to Avoid

Freezing temperatures. Contamination by those materials referred to under Incompatible materials.

#### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agents.

#### Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Hydrocarbons. Nitrogen oxides (NO<sub>x</sub>). Isocyanates.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Primary Routes of Entry

Skin Contact, Ingestion, Inhalation, Eye contact, Skin absorption

#### Acute toxicity

##### 1-Methyl-2-Pyrrolidinone

Oral LD50

4150 mg/kg (Rat)

Dermal LD50

= 2500 mg/kg (Rat)

> 5000 mg/kg (Rabbit)

#### Information on toxicological effects

#### Symptoms

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Eyes

Causes serious eye irritation.

#### Skin

Mild skin irritant. Repeated exposure may cause skin dryness or cracking. Harmful by skin absorption.

#### Inhalation

Inhalation of vapors in high concentration may cause irritation of respiratory system. Inhalation of high vapor concentrations can cause CNS-depression and narcosis.

#### Ingestion

Ingestion (swallowing) may irritate the mouth, throat and stomach. Ingestion is not an anticipated route of exposure for this material in industrial use.

#### Irritation

Irritating to eyes, respiratory system and skin.

#### Corrosivity

Not corrosive.

#### Sensitization

Not sensitizing.

#### Mutagenic effects

No information available.

#### Carcinogenicity

The following ingredients are listed as possible carcinogens:

CAS Number  
13463-67-7

Description  
Titanium Dioxide

% Weight  
<10%

Carcinogen Rating  
Titanium Dioxide: IARC 2B

**Reproductive Toxicity**

Adverse effects on reproduction have been reported in rats after ingestion of amounts of 1-Methyl-2-Pyrrolidinone which also caused mild generalized changes in the parental animals. Fetal effects have been noted in pregnant animals exposed by ingestion, inhalation and skin contact, and occurred both in the presence and absence of maternal toxicity.

**Developmental Toxicity**

No information available.

**Neurological Effects**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Target organ(s)**

Eyes, Central Vascular System (CVS), Kidney, Liver, Central nervous system (CNS), Respiratory system.

**Aspiration Hazard**

No information available.

**Numerical measures of toxicity - Product Information****Unknown acute toxicity**

33% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)	13638 mg/kg
ATEmix (dermal)	24213 mg/kg
ATEmix (inhalation-dust/mist)	9595.9 mg/L
ATEmix (inhalation-vapor)	127 mg/L

**12. ECOLOGICAL INFORMATION****Ecotoxicity****1-Methyl-2-Pyrrolidinone**

Log Kow  
Algae  
Fish

-0.46

EC50 > 500 mg/L (Desmodesmus subspicatus) (72h)

LC50 = 832 mg/L (Lepomis macrochirus) (96 h) static

LC50 = 4000 mg/L (Leuciscus idus) (96 h) static

LC50 = 1072 mg/L (Pimephales promelas) (96 h) static

LC50 = 1400 mg/L (Poecilia reticulata) (96 h) static

EC50 = 4897 mg/L 48 h

Water Flea

**Titanium Dioxide**

Toxicity to fish  
Toxicity to daphnia and other aquatic invertebrates

**Toxicity**

LC50 - other fish - > 1,000 mg/l - 96 h

EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 48 h

EC0 - Daphnia magna (Water flea) - 1,000 mg/l - 48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available

**Persistence/Degradability**

No information available.

**Bioaccumulation**

No information available.

**Other adverse effects**

No information available.

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

SDS for: TB-4311, 4314, 4317, 4315

<b>Disposal Considerations</b>	NOT A RCRA HAZARDOUS WASTE: When discarded in its purchased form, this material would not be regulated as a RCRA Hazardous waste under 40 CFR 261.
<b>Contaminated packaging</b>	Empty remaining contents. Do not reuse empty containers. Do not burn, or use a cutting torch on, the empty drum. Empty containers should be taken for local recycling, recovery or waste disposal.
<b>US EPA Waste Number</b>	Not applicable.

## 14. TRANSPORT

<u>DOT</u>	<b>Proper Shipping Name</b>	NOT REGULATED
<u>TDG</u>	<b>Proper Shipping Name</b>	NOT REGULATED
<u>MEX</u>	<b>Proper Shipping Name</b>	NOT REGULATED
<u>IATA</u>	<b>Proper Shipping Name</b>	NOT REGULATED
<u>IMDG/IMO</u>	<b>Proper Shipping Name</b>	NOT REGULATED

## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA Inventory Status:</b>	All components of this material are listed on the US Toxic Substances Control Act (TSCA) inventory
<b>Canadian Inventory Status:</b>	All components of this material are listed on the Canadian Domestic Substances List (DSL)
<b>Australian Inventory Status:</b>	This product contains one or more chemicals currently not on the Australian Inventory of Chemical Substances
<b>Korean Inventory Status:</b>	This product contains one or more chemicals currently not on the Korean Chemical Substances List
<b>Philippine Inventory:</b>	All components of this material are listed on or are exempt from the Philippine Inventory of Chemicals and Chemical Substances
<b>Japan ENCS:</b>	This product contains one or more chemicals currently not on the Japanese Inventory of Existing and New Chemical Substances
<b>Chinese IECS:</b>	This product contains one or more chemicals currently not on the Chinese Inventory of Existing Chemical Substances
<b>New Zealand Inventory:</b>	This product contains one or more chemicals currently not on the New Zealand Inventory of Chemicals Not determined

### US Federal Regulations

#### **TSCA 12(b) - Export Notification:**

This product does not contain any components that are subject to the US Toxic Substances Control Act (TSCA) Section 12(b) Export Notification requirements.

#### **SARA 313**

This product does not contain any components that are subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA).

**Clean Water Act**

This product does not contain any listed substances.

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product does not contain any HAPs.

**CERCLA**

This product does not contain any listed substances.

**Chemical Weapons Convention (CWC)**

This product does not contain any listed substances.

**State Regulations**

**California Prop. 65**

WARNING: This material contains 1-Methyl-2-Pyrrolidinone which is known to the State of California to cause birth defects or other reproductive harm. The California Safe Drinking Water and Toxic Enforcement Act of 1986 requires that clear and reasonable warning be given prior to exposing any person to this chemical.

WARNING: This material contains Titanium Dioxide which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Canada**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

**16. OTHER INFORMATION**

Hazardous Material Information System (HMIS)

National Fire Protection Association (NFPA)

**HMIS & NFPA Hazard Rating Legend**

\* = Chronic Health Hazard

0 = INSIGNIFICANT


1 = SLIGHT

2 = MODERATE

3 = HIGH

Flammability

Health



Instability

Special

The information set forth above is based on information which Engineered Marine Coatings, Inc. believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and EMC assumes no legal responsibility for its use or reliance thereon.

Date revised: 03/02/2021

Date Prepared: 10/17/2018

**JAMESTOWN DISTRIBUTORS**